PERIODICAL
184 UNIVERSITY OF HAWAII
LIBRARY

Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
P. Berg
M. Cohn
P. Doty
R. Dulbecco
E. P. Geiduschek
F. Gros
J. Hurwitz
H. E. Huxley
V. M. Ingram
A. Klug
O. Maaløe
A. Novick
D. C. Phillips
G. S. Stent

VOLUME 26
28 May 1967 to 28 June 1967

ACADEMIC PRESS
LONDON and NEW YORK

4 301
13

Copyright © 1967, by Academic Press Inc. (London) Limited

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

685251

QH 2
J73
v. 26

CONTENTS OF VOLUME 26

Number 1, 28 May 1967

Goldberg, B. and Green, H., Collagen Synthesis on Polyribosomes of Cultured Mammalian Fibroblasts 1

Cohen, S. N., Maitra, U. and Hurwitz, J., Role of DNA in RNA Synthesis. XI. Selective Transcription of λ DNA Segments *in vitro* by RNA Polymerase of *Escherichia coli* 19

Calendar, R. and Berg, P., D-Tyrosyl RNA: Formation, Hydrolysis and Utilization for Protein Synthesis. 39

Cerutti, P. and Miller, N., Selective Reduction of Yeast Transfer Ribonucleic Acid with Sodium Borohydride 55

Scraba, D. G., Kay, C. M. and Colter, J. S., Physico-chemical Studies of Three Variants of Mengo Virus and their Constituent Ribonucleates . . 67

Cutler, R. G. and Evans, J. E., Isolation of Selected Segments from the Genome of Hfr *Escherichia coli* 81

Cutler, R. G. and Evans, J. E., Relative Transcription Activity of Different Segments of the Genome throughout the Cell Division Cycle of *Escherichia coli*. The Mapping of Ribosomal and Transfer RNA and the Determination of the Direction of Replication 91

Summers, W. C. and Szybalski, W., γ-Irradiation of Deoxyribonucleic acid in Dilute Solutions. I. A Sensitive Method for Detection of Single-strand Breaks in Polydisperse DNA Samples 107

Appendix—Analysis of Cross-link Distribution in Polydisperse DNA Samples 122

Letters to the Editor—

Bode, V. C., Single-strand Scissions induced in Circular and Linear λ DNA by the Presence of Dithiothreitol and other Reducing Agents . . 125

Stead, N. W. and Jones, O. W., Stability of RNA Polymerase–DNA Complexes 131

Stretton, A. O. W. and Brenner, S., Spontaneous Revertants of Amber Mutants 137

Sarabhai, A. and Brenner, S., Further Evidence that UGA Does not Code for Tryptophan 141

CRUMPTON, M. J. and SMALL, P. A., Jr., Conformation of Immunologically-active Fragments of Sperm Whale Myoglobin in Aqueous Solution 143

MONRO, R. E., Catalysis of Peptide Bond Formation by 50 s Ribosomal Subunits from *Escherichia coli* 147

Errata 153

NUMBER 2, 14 JUNE 1967

BYERS, B., Structure and Formation of Ribosome Crystals in Hypothermic Chick Embryo Cells 155

KELLY, R. B. and SINSHEIMER, R. L., The Replication of Bacteriophage MS2. VII. Non-conservative Replication of Double-stranded RNA . . . 169

KONISKY, J. and NOMURA, M., Interaction of Colicins with Bacterial Cells. II. Specific Alteration of *Escherichia coli* Ribosomes induced by Colicin E3 *in vivo* 181

GERBER, B. R. and NOGUCHI, H., Volume Change associated with the G–F Transformation of Flagellin 197

KUFF, E. L. and ROBERTS, N. E., *In vivo* Labeling Patterns of Free Polyribosomes: Relationship to Tape Theory of Messenger Ribonucleic Acid Function 211

SUMMERS, W. C. and SZYBALSKI, W., Gamma-Irradiation of Deoxyribonucleic Acid in Dilute Solutions. II. Molecular Mechanisms responsible for Inactivation of Phage, its Transfecting DNA, and of Bacterial Transforming Activity 227

LIN, C. Y. and KEY, J. L., Dissociation and Reassembly of Polyribosomes in Relation to Protein Synthesis in the Soybean Root 237

KAGAWA, H., FUKUTOME, H. and KAWADE, Y., Inactivation of *Escherichia coli* Ribosomes by Ultraviolet Irradiation. I. Activity of Poly U-directed Polyphenylalanine Synthesis 249

WILLIAMSON, A. R., HAUSMANN, E., HEINTZ, R. and SCHWEET, R., Homopolynucleotide Inhibition of Poly U-dependent Polyphenylalanine Synthesis 267

BLOBEL, G. and POTTER, V. R., Studies on Free and Membrane-bound Ribosomes in Rat Liver. I. Distribution as related to Total Cellular RNA . 279

BLOBEL, G. and POTTER, V. R., Studies on Free and Membrane-bound Ribosomes in Rat Liver. II. Interaction of Ribosomes and Membranes . . 293

GAFFORD, L. G. and RANDALL, C. C., The High Molecular Weight of the Fowlpox Virus Genome 303

MARTIN, R. G., Frameshift Mutants in the Histidine Operon of *Salmonella typhimurium* 311

MALKIN, L. I. and RICH. A., Partial Resistance of Nascent Polypeptide Chains to Proteolytic Digestion due to Ribosomal Shielding 329

Letters to the Editor—

COOPER, D., BANTHORPE, D. V. and WILKIE, D., Modified Ribosomes conferring Resistance to Cycloheximide in Mutants of *Saccharomyces cerevisiae* 347

NORDWIG, A. and HAYDUK, U., A Contribution to the Evolution of Collagen 351

TOLLIN, P., WILSON, H. R., YOUNG, D. W., CATHRO, T. and MOWAT, W. P., X-ray Diffraction and Electron Microscope Studies of Narcissus Mosaic Virus and Comparison with Potato Virus X . . . 353

RICHMOND, M. H., A Second Regulatory Region involved in Penicillinase Synthesis in *Staphylococcus aureus* 357

CRICK, F. H. C. and BRENNER, S., The Absolute Sign of Certain Phase-shift Mutants in Bacteriophage T4 361

HIRT, B., Selective Extraction of Polyoma DNA from Infected Mouse Cell Cultures 365

Errata 371

Announcement 372

NUMBER 3, 28 JUNE 1967

BISHOP, D. H. L., CLAYBROOK, J. R. and SPIEGELMAN, S., Electrophoretic Separation of Viral Nucleic Acids on Polyacrylamide Gels . . . 373

HAUT, W. F. and TAYLOR, J. H., Studies of Bromouracil Deoxyriboside Substitution in DNA of Bean Roots (*Vicia faba*) 389

THANG, M. N., GUSCHLBAUER, W., ZACHAU, H. G. and GRUNBERG-MANAGO, M., Degradation of Transfer Ribonucleic Acid by Polynucleotide Phosphorylase I. Mechanism of Phosphorolysis and Structure of tRNA. . . . 403

BAUERLE, R. H. and MARGOLIN, P., Evidence for Two Sites for Initiation of Gene Expression in the Tryptophan Operon of *Salmonella typhimurium* . . 423

OSBORN, M., PERSON, S., PHILLIPS, S. and FUNK, F., A Determination of Mutagen Specificity in Bacteria using Nonsense Mutants of Bacteriophage T4 437

KÖSSEL, H., MORGAN, A. R. and KHORANA, H. G., Studies on Polynucleotides. LXXIII. Synthesis *in vitro* of Polypeptides containing Repeating Tetrapeptide Sequences dependent upon DNA-like Polymers containing Repeating Tetranucleotide Sequences: Direction of Reading of Messenger RNA . 449

MORGAN, A. R., WELLS, R. D. and KHORANA, H. G., Studies on Polynucleotides. LXXIV. Direct Translation *in vitro* of Single-stranded DNA-like Polymers with Repeating Nucleotide Sequences in the Presence of Neomycin B . 477

FITCH, W. M., Evidence suggesting a Non-random Character to Nucleotide Replacements in Naturally Occurring Mutations 499

PHILLIPS, J. H. and KJELLIN-STRÅBY, K., Studies on Microbial Ribonucleic Acid. V. Two Mutants of *Saccharomyces cerevisiae* lacking N^2-dimethylguanine in Soluble Ribonucleic Acid 509

OHTA, T., SHIMADA, I. and IMAHORI, K., Conformational Change of Tyrosyl-RNA Synthetase Induced by its Specific Transfer RNA 519

TERZI, M. and LEVINTHAL, C., Effects of λ-Phage Infection on Bacterial Synthesis 525

Letters to the Editor—

SEDAT, J. W., KELLY, R. B. and SINSHEIMER, R. L., Fractionation of Nucleic Acid on Benzoylated-Naphthoylated DEAE Cellulose . . 537

WATSON, J. D. and RALPH, R. K., Stability of 5 s Ribonucleic Acid in Mammalian Cells. 541

Index to Volume 26

Amber mutants, spontaneous revertants, 137

Bacterial synthesis, effect of bacteriophage λ infection, 525
Bacteriophage λ DNA, induction of single-strand scissions in the presence of dithiothreitol and other reducing agents, 125
— — — segments, selective transcription *in vitro* by RNA polymerase of *Escherichia coli*, 19
—, molecular mechanisms responsible for inactivation after γ-irradiation of its DNA in dilute solutions, 227
— MS2, non-conservative replication of double-stranded RNA, 169
— T4, the absolute sign of certain phase-shift mutants, 361
— T4, nonsense mutants, a determination of mutagen specificity in bacteria, 437
Banthorpe, D. V. (see also Cooper, D.), 347
Bauerle, R. H. & Margolin, P., Evidence for two sites for initiation of gene expression in the tryptophan operon of *Salmonella typhimurium*, 423
Berg, P. (see also Calendar, R.), 39
Bishop, D. H. L., Claybrook, J. R. & Spiegelman, S., Electrophoretic separation of viral nucleic acids on polyacrylamide gels, 373
Blobel, G. & Potter, V. R., Studies on free and membrane-bound ribosomes in rat liver. I. Distribution as related to total cellular RNA, 279
— & —, — — — — — — — — — — — —. II. Interaction of ribosomes and membranes, 293
Bode, V. C., Single-strand scissions induced in circular and linear λ DNA by the presence of dithiothreitol and other reducing agents, 125
Brenner, S. (see also Crick, F. H. C.), 361
— (see also Sarabhai, A.), 141
— (see also Stretton, A. O. W.), 137
Bromouracil deoxyriboside substitution in DNA of bean roots, 389
Byers, B., Structure and formation of ribosome crystals in hypothermic chick embryo cells, 155

Calendar, R. & Berg, P., D-Tyrosyl RNA: formation, hydrolysis and utilization for protein synthesis, 39
Cathro, T. (see also Tollin, P.), 353
Cerutti, P. & Miller, N., Selective reduction of yeast tRNA with sodium borohydride, 55
Claybrook, J. R. (see also Bishop, D. H. L.), 373
Cohen, S. N., Maitra, U. & Hurwitz, J., Role of DNA in RNA synthesis. XI. Selective transcription of λ DNA segments *in vitro* by RNA polymerase of *Escherichia coli*, 19
Colicin E3 induction of a specific alteration in *Escherichia coli* ribosomes *in vivo*, 181
Collagen evolution, 351
— synthesis on polyribosomes of cultured mammalian fibroblasts, 1
Colter, J. S. (see also Scraba, D. G.), 67
Cooper, D., Banthorpe, D. V. & Wilkie, D., Modified ribosomes conferring resistance to cycloheximide in mutants of *Saccharomyces cerevisiae*, 347
Crick, F. H. C. & Brenner, S., The absolute sign of certain phase-shift mutants in bacteriophage T4, 361
Crumpton, M. J. & Small, P. A., Jr., Conformation of immunologically-active fragments of sperm whale myoglobin in aqueous solution, 143
Cutler, R. G. & Evans, J. E., Isolation of selected segments from the genome of Hfr *Escherichia coli*, 81
— & —, Relative transcription activity of different segments of the genome throughout the cell division cycle of *Escherichia coli*. The mapping of ribosomal and transfer RNA and the determination of the direction of replication, 91
Cycloheximide resistance in mutants of *Saccharomyces cerevisiae*, conferred by modified ribosomes, 347

D-Tyrosyl RNA: formation, hydrolysis and utilization for protein synthesis, 39
DEAE cellulose, benzoylated-naphthoylated, used in the fractionation of nucleic acids, 537
Deoxyribonucleic acid of bean roots, studies of bromouracil deoxyriboside substitution, 389
— — — λ, circular and linear, single-strand scissions induced by dithiothreitol and other reducing agents, 125
— —-like polymers, direct translation *in vitro* of single-stranded polymers with repeating nucleotide sequences in the presence of neomycin B, 477
— —·— — containing tetranucleotide sequences used to synthesize polypeptides containing repeating tetrapeptide sequences, 449
— —molecular mechanisms responsible for inactivation of bacteriophage transfecting DNA after γ-irradiation in dilute solutions, 227
— —, polydisperse, γ-irradiation as a sensitive method for detection of single-strand breaks, 107
— —, polyoma, selective extraction from infective mouse cell cultures, 365
— —segments of λ, selective transcription *in vitro* by RNA polymerase of *Escherichia coli*, 19
— —, stability of complexes with RNA polymerase, 131
Dithiothreitol and other reducing agents, induction of single-strand scissions in circular and linear λ DNA, 125

Electron microscope and X-ray diffraction studies of narcissus mosaic virus and comparison with potato virus X, 353
Electrophoretic separation of viral nucleic acids on polyacrylamide gels, 373
Escherichia coli 50s ribosomal subunits, catalysis of peptide bond formation, 147
— —, Hfr, isolation of selected segments from the genome, 81
— —, relative transcription activity of different segments of the genome throughout the cell division cycle. The mapping of ribosomal and transfer RNA and the determination of the direction of replication, 91
— — ribosomes inactivated by ultraviolet irradiation. Activity of poly U-directed polyphenylalanine synthesis, 249
— —, —, specific alteration induced by colicin E3 *in vivo*, 181
— —, selective transcription of λ DNA segments *in vitro* by RNA polymerase, 19
Evans, J. E. (see also Cutler, R. G.), 81, 91

Fibroblasts, mammalian, collagen synthesis on polyribosomes in culture, 1
Fitch, W. M., Evidence suggesting a non-random character to nucleotide replacements in naturally occurring mutations, 499
Flagellin, volume change associated with the G–F transformation, 197
Fowlpox (see Virus)
Frameshift mutants in the histidine operon of *Salmonella typhimurium*, 311
Fukutome, H. (see also Kagawa, H.), 249
Funk, F. (see also Osborn, M.), 437

γ-Irradiation of DNA in dilute solutions, 107, 227
Gafford, L. G. & Randall, C. C., The high molecular weight of the fowlpox virus genome, 303
Gene expression in the tryptophan operon of *Salmonella typhimurium*, evidence for two initiation sites, 423
Gerber, B. R. & Noguchi, H., Volume change associated with the G–F transformation of *Flagellin*, 197
Goldberg, B. & Green, H., *Collagen* synthesis on *polyribosomes* of cultured mammalian *fibroblasts*, 1
Green, H. (see also Goldberg, B.), 1
Grunberg-Manago, M. (see also Thang, M. N.), 403
Guschlbauer, W. (see also Thang, M. N.), 403

Hausmann, R. (see also Williamson, A. R.), 267
Haut, W. F. & Taylor, J. H., Studies of bromouracil deoxyriboside substitution in DNA of bean roots (*Vicia faba*), 389
Hayduk, U. (see also Nordwig, A.), 351
Heintz, R. (see also Williamson, A. R.), 267
Hirt, B., Selective extraction of polyoma DNA from infected mouse cell cultures, 365
Histidine operon of *Salmonella typhimurium*, frameshift mutants, 311
Hurwitz, J. (see also Cohen, S. N.), 19

Imahori, K. (see also Ohta, T.), 519
Immunologically-active fragments of sperm whale myoglobin in aqueous solution, conformation, 143

Jones, O. W. (see also Stead, N. W.), 131

Kagawa, H., Fukutome, H. & Kawade, Y., Inactivation of *Escherichia coli* ribosomes by ultraviolet irradiation. I. Activity of poly U-directed polyphenylalanine synthesis, 249
Kawade, Y. (see also Kagawa, H.), 249
Kay, C. M. (see also Scraba, D. G.), 67
Kelly, R. B. & Sinsheimer, R. L., The replication of bacteriophage MS2. VII. Non-conservative replication of double-stranded RNA, 169
— (see also Sedat, J. W.), 537
Key, J. L. (see also Lin, C. Y.), 237
Khorana, H. G. (see also Kössel, H.), 449
— (see also Morgan, A. R.), 477
Kjellin-Stråby, K. (see also Phillips, H. G.), 509
Konisky, J. & Nomura, M., Interaction of colicins with bacterial cells. II. Specific alteration of *Escherichia coli* ribosomes induced by colicin E3 *in vivo*, 181
Kössel, H., Morgan, A. R. & Khorana, H. G., Studies on polynucleotides. LXXIII. Synthesis *in vitro* of polypeptides containing repeating tetrapeptide sequences dependent upon DNA-like polymers containing repeating tetranucleotide sequences: direction of reading of messenger RNA, 449
Kuff, E. L. & Roberts, N. E., *In vivo* labeling patterns of free polyribosomes: relationship to tape theory of mRNA function, 211

λ (see Bacteriophage)
Levinthal, C. (see also Terzi, M.), 525
Lin, C. Y. & Key, J. L., Dissociation and reassembly of polyribosomes in relation to protein synthesis in the soybean root, 237

Maitra, U. (see also Cohen, S. N.), 19
Malkin, L. I. & Rich, A., Partial resistance of nascent polypeptide chains to proteolytic digestion due to ribosomal shielding, 329
Margolin, P. (see also Bauerle, R. H.), 423
Martin, R. G., Frameshift mutants in the histidine operon of *Salmonella typhimurium*, 311
Membranes, interaction with ribosomes in rat liver, 293
Mengo virus (see Virus)
Miller, N. (see also Cerutti, P.), 55
Molecular weight of the fowlpox virus genome, 303
Monro, R. E., Catalysis of peptide bond formation by 50s ribosomal subunits from *Escherichia coli*, 147
Morgan, A. R., Wells, R. D. & Khorana, H. G., Studies on polynucleotides. LXXIV. Direct translation *in vitro* of single-stranded DNA-like polymers with repeating nucleotide sequences in the presence of neomycin B, 477
— (see also Kössel, H.), 449
Mowat, W. P. (see also Tollin, P.), 353
MS2 (see Bacteriophage)
Mutagen specificity in bacteria using nonsense mutants in bacteriophage T4, 437
Mutations, naturally occuring, evidence suggesting a non-random character to nucleotide replacements, 499
Myoglobin of sperm whale, conformation of immunologically-active fragments in aqueous solution, 143

Narcissus mosaic virus (see Virus)
Neomycin B used in studies of translation *in vitro* of single-stranded DNA-like polymers, 477
Noguchi, H. (see also Gerber, B. R.), 197
Nomura, M. (see also Konisky, J.), 181
Nonsense mutants in bacteriophage T4, a determination of mutagen specificity in bacteria, 437

Nordwig, A. & Hayduk, U., A contribution to the evolution of collagen, 351
Nucleic acid fractionation of benzoylated-naphthoylated DEAE cellulose, 537
— —, viral, their electrophoretic separation on polyacrylamide gels, 373
Nucleotide replacements in naturally occuring mutations, evidence suggesting a non-random character, 499

Ohta, T., Shimada, I. & Imahori, K., Conformational changes of tyrosyl-RNA synthetase induced by its specific transfer RNA, 519
Osborn, M., Person, S., Phillips, S. & Funk, F., A determination of mutagen specificity in bacteria using nonsense mutants of bacteriophage T4, 437

Penicillinase synthesis in *Staphylococcus aureus*, a second regulatory region, 357
Peptide bond formation, catalysis by 50s ribosomal subunits from *Escherichia coli*, 147
Person, S. (see also Osborn, M.), 437
Phage (see Bacteriophage)
Phase-shift mutants of bacteriophage T4, the absolute sign of a certain set, 361
Phillips, J. H. & Kjellin-Stråby, K., Studies on microbial RNA. V. Two mutants of *Saccharomyces cerevisiae* lacking N^2-dimethylguanine in sRNA, 509
Phillips, S. (see also Osborn, M.), 437
Phosphorylase, polynucleotide, mechanism of degradation of tRNA and its resultant structure, 403
Polyacrylamide gels, their use in electrophoretic separation of viral nucleic acids, 373
Polymerase, RNA, of *Escherichia coli*, selective transcription *in vitro* of λ DNA segments, 19
—, —, stability of complexes with DNA, 131
Polynucleotide phosphorylase, mechanism of degradation of tRNA, 403
Polyoma (see Virus)
Polypeptide chains, nascent, partial resistance to proteolytic digestion due to ribosomal shielding, 329
Polypeptides, synthesis of tetrapeptide sequences dependent upon DNA-like polymers containing repeating tetranucleotide sequences, 449
Polyphenylalanine synthesis, poly U-dependent, inhibited by homopolynucleotides, 267
— —, poly U-directed, activity in *Escherichia coli* ribosomes irradiated with ultraviolet light, 249
Polyribosomes, dissociation and reassembly in relation to protein synthesis in the soybean root, 237
—, *in vivo* labeling patterns: relationship to tape theory of mRNA function, 211
— of cultured mammalian fibroblasts, collagen synthesis, 1
Poly U-directed polyphenylalanine synthesis activity in *Escherichia coli* ribosomes irradiated with ultraviolet light, 249
Potato virus X (see Virus)
Potter, V. R. (see also Blobel, G.), 279, 293
Protein synthesis, formation, hydrolysis and utilization of D-tyrosyl RNA, 39
Proteolytic digestion, partial resistance of nascent polypeptide chains due to ribosomal shielding, 329

Ralph, R. K. (see also Watson, J. D.), 541
Randall, C. C. (see also Gafford, L. G.), 303
Regulatory region, a second one involved in penicillinase synthesis in *Staphylococcus aureus*, 357
Ribonucleates of three variants of mengo virus, physico-chemical studies, 67
Ribonucleic acid, D-tyrosyl: formation, hydrolysis and utilization for protein synthesis, 39
— —, degradation of tRNA by polynucleotide phosphorylase, mechanism and structure, 403
— —, double-stranded, non-conservative replication in bacteriophage MS2, 169
— —, 5s, stability in mammalian cells, 541
— —, messenger, direction of reading from studies on polynucleotides, 449
— —, —, tape theory of function, its relationship to *in vivo* labeling patterns of free polyribosomes, 211
— — polymerase, of *Escherichia coli*, selective transcription of λ DNA segments *in vitro*, 19
— — polymerase, stability of complexes with DNA, 131
— —, ribosomal and transfer, from *Escherichia coli*, mapping and determination of the direction of replication, 91
— —, soluble, two mutants in *Saccharomyces cerevisiae* lacking N^2-dimethylguanine, 509
— —, total cellular, and its relation to the distribution of free and membrane-bound ribosomes in rat liver, 279

Ribonucleic acid, tyrosyl-, conformational changes in its synthetase induced by its specific tRNA, 519
— —, yeast transfer, selective reduction on treatment with sodium borohydride, 55
Ribosomal shielding conferring partial resistance in nascent polypeptide chains to proteolytic digestion, 329
— subunits from *Escherichia coli*, catalysis of peptide bond formation by a 50 s species, 147
Ribosome crystals in hypothermic chick embryo cells, structure and formation, 155
Ribosomes of *Escherichia coli* inactivated by ultraviolet irradiation. Activity of poly U-directed polyphenylalanine synthesis, 249
— — — —, specific alteration induced by colicin E3 *in vivo*, 181
—, free and membrane-bound in rat liver, distribution as related to total cellular RNA, 279
—, — — —·— — — —, interaction of ribosomes and membranes, 293
—, modification conferring resistance to cycloheximide in mutants of *Saccharomyces cerevisiae*, 347
Rich, A. (see also Malkin, L. I.), 329
Richmond, M. H., A second regulatory region involved in penicillinase synthesis in *Staphylococcus aureus*, 357
Roberts, N. E. (see also Kuff, E. L.), 211

Saccharomyces cerevisiae mutants, resistance to cycloheximide conferred by modified ribosomes, 347
— —, two mutants lacking N^2-dimethylguanine in their sRNA, 509
Salmonella typhimurium, evidence for two sites for initiation of gene expression in the tryptophan operon, 423
— —, frameshift mutants in the histidine operon, 311
Sarabhai, A. & Brenner, S., Further evidence that UGA does not code for tryptophan, 141
Schweet, R. (see also Williamson, A. R.), 267
Scraba, D. G., Kay, C. M. & Colter, J. S., Physico-chemical studies of three variants of mengo virus and their constituent ribonucleases, 67
Sedat, J. W., Kelly, R. B. & Sinsheimer, R. L., Fractionation of nucleic acid on benzoylated-naphthoylated DEAE cellulose, 537
Shimada, I. (see also Ohta, T.), 519
Sinsheimer, R. L. (see also Kelly, R. B.), 169
— (see also Sedat, J. W.), 537
Small, P. A., Jr. (see also Crumpton, M. J.), 143
Sodium borohydride reduction of yeast tRNA, 55
Soybean root, dissociation and reassembly of polyribosomes in relation to protein synthesis, 237
Spiegelman, S. (see also Bishop, D. H. L.), 373
Staphylococcus aureus, a second regulatory region involved in penicillinase synthesis, 357
Stead, N. W. & Jones, O. W., Stability of RNA polymerase–DNA complexes, 131
Stretton, A. O. W. & Brenner, S., Spontaneous revertants of amber mutants, 137
Structure and formation of ribosome crystals in hypothermic chick embryo cells, 155
Summers, W. C. & Szybalski, W., γ-Irradiation of DNA in dilute solutions. I. A sensitive method for detection of single-stranded breaks in polydisperse DNA samples, 107
— · —, —·— — — — — —, II. Molecular mechanisms responsible for inactivation of bacteriophage, its transfecting DNA, and of bacterial transforming activity, 227
Synthetase of tyrosyl-RNA, conformational changes induced by its specific tRNA, 519
Szybalski, W. (see also Summers, W. C.), 107, 227

T4 (see Bacteriophage)
Taylor, J. H. (see also Haut, W. F.), 389
Terzi, M. & Levinthal, C., Effects of λ bacteriophage infection on bacterial synthesis, 525
Thang, M. N., Guschlbauer, W., Zachau, H. G. & Grunberg-Manago, M., Degradation of transfer RNA by polynucleotide phosphorylase. I. Mechanism of phosphorolysis and structure of tRNA, 403
Tollin, P., Wilson, H. R., Young, D. W., Cathro, T. & Mowat, W. P., X-ray diffraction and electron microscope studies of narcissus mosaic virus and comparison with potato virus X, 353
Transforming activity, bacterial, molecular mechanisms responsible for inactivation after γ-irradiation of DNA in dilute solutions, 227
Tryptophan, further evidence that UGA does not code for tryptophan, 141
— operon of *Salmonella typhimurium*, evidence for two sites for initiation of gene expression, 423
Tyrosyl-RNA synthetase, conformational changes induced by its specific tRNA, 519

UGA, further evidence that it does not code for tryptophan, 141
Ultraviolet irradiation of *Escherichia coli* ribosomes used to study activity of poly U-directed polyphenylalanine synthesis, 249

Viral nucleic acids, electrophoretic separation on polyacrylamide gels, 373
Virus genome of fowlpox, high molecular weight, 303
— narcissus mosaic, X-ray diffraction and electron microscope studies and comparison with potato virus X, 353
—, physico-chemical studies of three variants of mengo virus and their constituent ribonucleates, 67
—, polyoma, selective extraction of its DNA from infected mouse cell cultures, 365
— X of potato compared with narcissus mosaic virus, X-ray diffraction and electron microscope studies, 353

Watson, J. D. & Ralph, R. K., Stability of 5 s ribonucleic acid in mammalian cells, 541
Wells, R. D. (see also Morgan, A. R.), 477
Wilkie, D. (see also Cooper, D.), 347
Williamson, A. R., Hausmann, R., Heintz, R. & Schweet, R., Homopolynucleotide inhibition of poly U-dependent polyphenylalanine synthesis, 267
Wilson, H. R. (see also Tollin, P.), 353

X-ray diffraction and electron microscope studies of narcissus mosaic virus and comparison with potato virus X, 353

Young, D. W. (see also Tollin, P.), 353

Zachau, H. G. (see also Thang, M. N.), 403